



# QUICK START GUIDE

## Automatic calf feeder smart

### 1.7.1 Cleaning with two detergent

This document shows the settings for cleaning a powder machine with two detergents as of software version 5.1.

#### 1 Cleaning settings

Refer to the instructions of the detergent manufacturer for the recommended settings



▶ cleaning



settings



temperature 1: [45.0 °C]

temperature 2: [45.0 °C]

detergent 1 : \* 5 ml / L

detergent 2 : \* 5 ml / L

Teat cleaning : no

hose length

Drainage mode : yes

Rinse hose

→ temperature during the cleaning process max. 58°C

→ amount of detergent / liter

→ [ yes /no ] after cleaning water is pumped through the suction hose

→ Only with HygieneBox: Adjustable per feeding station (in m)

→ [yes/no] drainage function of the suction hoses

→ After complete feeding of a portion, 0.25L of warm water is dosed out and the hose is cleaned.

\* Standard 0 ml / L

< Group A - D >

active : [ yes ]

as of plan day [ 14 ]

→ [yes/no]

→ Starting date

(Not with IFS Pump!)

#### 2 Automatic

Setting the parameters for automatic cleaning



▶ cleaning



cleaning plan



Zeit	Cleaning	Type
10:00	Mixer	1
16:00	Hose	1
22:00	Mixer	1 + 2
...		



Set times



Can be selected depending on the equipment  
Hose = HygieneBox



Type of cleaning  
Type 1: alkaline  
Type 1 + 2: alkaline and then acidic

#### 3 Manuell

Cleaning processes can also be started manually



▶ cleaning



manual start



Mixer  
Circuit cleaning  
auto. circuit cleaning  
Start draining mode

→ Only with HygieneBox